LQF® RO101A
5 STAGE REVERSE OSMOSIS SYSTEM

Benefits

- Protects boiler of coffee machine
- Superior taste of coffee
- Highest quality crystal clear ice cubes
- Best quality of drinking water using Reverse Osmosis membrane

Technical

RO Dimensions: H:530 mm x W:200 mm x D:374 mm

Tank Dimensions: H:575 mm x Dia:390 mm

No water protection, Solenoid valve to prevent excessive water in drain after system is full

370 Liters per day production of clean water

Booster pump for less waste of water and better system efficiency

24V Power supply for safe installation

NSF® approved **12 Liters** pressure tank

5 Stages Filtration

- **Stage 1 (Sediment filter):** *Reduces suspended material like dirt, sand and rust*
- **Stage 2 (Pre carbon filter GAC):** *Removes VOC's, chlorine and various chemicals*
- **Stage 3 (Pre carbon filter BLOCK):** *Removes VOC's, chlorine and various chemicals*
- **Stage 4 (RO membrane 100GPD):** *Removes ions, nitrates, organics, THM, silica, bacteria and particles, dissolved gases**
- **Stage 5 (Post carbon filter):** *Prevents propagation of bacteria, removes unpleasant taste and odor from the water*

***Optional**:*

- **Mineral filter:** *Re-mineralization of water with negative ions of calcium and magnesium*
- **254nm UV-C Lamp:** *Kills 99.9% of bacteria viruses and pathogens in the water*

**see back for more info*

A.P. Laquaforce Services Ltd

9 Agathonos street, 4189 Ipsonas, Lemesos
T: 7777 2782 – F:+357 25397160
www.laquaforce.com – info@laquaforce.com

Laquaforce
WATER TREATMENT TECHNOLOGY

Estimated percent rejection of various solutes by Reverse Osmosis membrane

Solute	MW	Rejection, %
1,1,1-Trichloroethane	133	98
1,2 Dibromoethane	173	15
1,2 Dichloroethane	99	37
1,2,3-Trichlorobenzene	181	>57
1,2,4-Trichlorobenzene	181	96
1,2,4-Trimethylbenzene	120	57
1,2-Dichlorobenzene	147	70-92
1,3-Dichlorobenzene	147	66-69
1,4-Dichlorobenzene	147	61
1-Chlorododecane	204	87
1-Methylnaphthalene	142	67
2,2',5,5' Tetrachlorobiphenyl	290	46
2,4,6-Trichlorophenol	197	100
2,4-Dichlorophenol	163	93
2,6 Dimethylphenol	122	92
2,6-Di-Tert-Butyl-4-Methylphenol	220	96
3,8 Dimethyphenol	122	92
3-Hydroxy-Capric Acid	188	>98
3-Pentanone	86	74
4-Ethylphenol	122	84
4-Isopropylphenol	136	84
5-Chlorouracil	146	88
Acetic Acid	60	45
Acetone	58	70
Aluminum Nitrate	213	86
Aluminum Sulfate	342	89
Aniline	93	64-75
Anthraquinone	208	93
Benzene	78	7819
Benzoic Acid	122	92
Benzothiazole	133	79
Biphenyl	154	91
Bis (2-Ethylhexyl) Phthalate	390	94
Boric Acid	230	
Bromodichloromethane	163	79
Bromoform	94	>67
Cadmium Sulfate	208	97
Caffeine	174	99
Calcium Chloride	111	99
Calcium Nitrate	164	95
Carbon Tetrachloride	153	98
Cesium Chloride	168	97
Chlorobenzene	112	0-50
Chlorofoam	50	71-90
cis-1,2 Dichloroethylene	97	20
Clofibric Acid	214	>99
Copper Sulfate	160	99
Cyclohexanone	98	95
Dibromochloromethane	208	79
e-Caprolactum	113	85
Ethanol	46	38-70
Ethyl Benzene	106	71
Formaldehyde	30	35

Solute	MW	Rejection, %
Furfural	96	35
Glucose	180	98-99
Glycine	188	78
Heptaldehyde	114	100
Humic Acid		98
Hydrochloric Acid	36	28
Isophorone	138	96
Isopropanol	60	90
Lactic Acid (ph2)	90	94
Lactic Acid (ph5)	42	99
Magnesium Chloride	120	98
Magnesium Sulfate	120	99
Manganese (II) Sulfate	151	97
Methanol	32	25
Methl Ethyl Ketone	72	73
Methyl Isobutyl Keytone	100	98
Naphthalene	128	80
Nickel Chloride	130	96-99
Nickel Sulfate	155	97-99
o-Cresol	108	84
o-Xylene	106	67
p & m Xylene	106	38
Pentachlorophenol	266	86
Phenol - 80%	94	65
Phosphoric Acid	96	94
Quinoline	129	97
Silica	60	98
Sodium Acetate (1%)	82	88
Sodium Bicarbonate	84	98
Sodium Bromide	103	96
Sodium Chloride	58	99
Sodium Cyanide	49	95
Sodium Di-H Phosphate	120	98
Sodium Fluoride	42	98
Sodium Hydrogen Sulfate	120	76
Sodium Iodide	150	97
Sodium Mono-H Phosphate	142	98
Sodium Nitrate	85	93-98
Sodium Orthophosphate	164	99
Stearic Acid	204	71
Strontium Chloride	158	96
Succinic Acid	118	35
Sucrobe	342	99
Sulfuric Acid	98	84
Tetrachloroethylene	165	68-80
Tin (II) Sulfate	215	85
Tributyl Phosphate	266	49
Trichloroethylene	131	30-43
Trimesic Acid	210	96
Urea	60	70
Zinc Chloride	136	93
Zinc Sulfate	161	98

A.P. Laquaforce Services Ltd

9 Agathonos street, 4189 Ipsonas, Lemesos
T: 7777 2782 – F:+357 25397160
www.laquaforce.com – info@laquaforce.com